

CLEAN PRODUCTS

CLEAN

PRODUCTS GUIDE :

DCF.


TCF.

CT.

SCA.


ANF.

GT.




CLEAN PRODUCTS .

CAPSULE SHAPE




□ DCF (Double Contact Filtration)

ถังบำบัดน้ำเสียชนิดเติมอากาศ แบบ 2 ตัวกลาง
 : System contains Solids separate ,Anaerobic filtration , Contact aeration with BIO-MEDIA , Sludge return,Sediment and over flow out.
: High efficiency with low operating cost.
 : Application for Home,Condominium,Office, School,Factory,Public area etc.
: Size start at 20 - 250 cubic meter
 :For treat BOD.< 20 ppm.,SS.< 30 ppm.



□ TCF (Trippl Contact Filtration)

ถังบำบัดน้ำเสียชนิดเติมอากาศ แบบ 3 ตัวกลาง
 : System contains Solids separate ,Anaerobic filtration , Contact aeration with BIO-MEDIA , Sludge return,Sediment and over flow out.
: Super High efficiency with low operating cost.
 : Application for Home,Condominium,Office, School,Factory,Public area etc.
: Size start at 20 - 250 cubic meter
 :For treat BOD.< 15 ppm.,SS.< 20 ppm.



□ CT (Canteen Treatment)

ถังบำบัดน้ำเสียชนิดเติมอากาศสำหรับโรงอาหาร
 : System contains Grease trap,Solids separate, Anaerobic filtration , Contact aeration with BIO-MEDIA ,Sludge return,Sediment and over flow out.
 : Application for Canteen,Restaurant,Kitchen
: Size start at 5 - 250 cubic meter
 :For treat Oil & Grease < 10 ppm.



PREPARE THE BASE




DESIGN THE SUIT OF TANK



LIFT AND MOVE IT


WASTEWATER TREATMENT TANK GUIDE :

SQUARE SHAPE



□ DCF (Double Contact Filtration)

ถังบำบัดน้ำเสียชนิดเติมอากาศ แบบ 2 ตัวกลาง
 : System contains Solids separate ,Anaerobic filtration , Contact aeration with BIO-MEDIA , Sludge return,Sediment and over flow out.
: High efficiency with low operating cost.
 : Application for Home,Condominium,Office, School,Factory,Public area etc.
: Size start at 1 - 20 cubic meter
 :For treat BOD.< 20 ppm.,SS.< 30 ppm.




□ SCA (Single Contact Aeration)

ถังบำบัดน้ำเสียชนิดเติมอากาศ แบบ 1 ตัวกลาง
 : System contains Solids separate , Contact aeration with BIO-MEDIA ,Sedimentation and over flow out.
: low operating cost tank.
 : Application for Home,Office,School,Factory, Public area etc.
: Size start at 1 - 20 cubic meter
 : For treat BOD.< 30 ppm.,SS.< 40 ppm.

□ ANF (Anaerobic Filtration)


ถังบำบัดน้ำเสียชนิดไม่เติมอากาศ



: Size start at 1 - 10 cubic meter
 : For treat BOD.< 60 ppm.,SS.< 90 ppm.

□ GT. (Grease trap)

ถังดักไขมันไฟเบอร์กลาส



: Size start at 20 - 140 litre

: Size start at 1 - 10 cubic meter



EASY FOR INSTALL



FIT IN PLACE



READY FOR USE

our reference projects.



CLEAN

บริษัท คลีน โปรดักส์ จำกัด

21/277 ตรีเมียมเพลส ถ.นวลจันทร์ 50 นวลจันทร์ บึงกุ่ม กรุงเทพฯ 10230 Tel : 02-363-4107 Fax: 02-363-4108